BenchBlotter M Benchmark Platform Rocker





- Gentle mixing (12 rpm and +/- 8° tilt)
- Compact, low profile design
- Dual platform option expands workspace
- Safe for incubator/cold room use

Technical Data

Speed: Fixed at 12 rpm Fixed at 10 rpm (230V)

Tilt Angle: +/- 8°

Platform Size: 30x30 cm / 12x12 in. Work Surface: Non-Skid Rubber Mat Load Capacity: 3.2 kg/7 lbs.

Operating Temp. Range: +4°C to +65°C Dimensions: 34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in. 3 kg/6.5 lb Weight:

Warranty: 2 Years

115V AC, 60 Hz, 0.4A Electrical: 230V AC, 50 Hz, 0.2A

The **BenchBlotter** is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the BenchBlotter offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

Ordering Information

BR1000* BenchBlotter Platform Rocker

BR1000-FLAT Non-Skid rubber mat (included)

BR1000-DIMPLED Optional dimpled mat

BR1000-STACK Optional stacking platform, with

flat mat

*To order a product in 230V, please add -230 to item number.



Benchmark Scientific Inc. PO Box 709 Edison, NJ 08817

Phone: 908-769-5555

Fax: 908-222-1864 Web: www.BenchmarkScientific.com Email: Info@BenchmarkScientific.com